



# Why Modern PLCs Avoid Solid-State Components

## Why Modern PLCs Avoid Solid-State Components

### Table of Contents

- The Core Architecture of Industrial PLCs
- Why Reliability Matters in Energy Storage
- Solar Farm PLCs: A 2024 Case Study
- Balancing Innovation With Practical Needs

### The Hidden Framework Behind Industrial Automation

You might've heard the claim that PLCs (Programmable Logic Controllers) don't use solid-state components. Well, that's sort of half-true. Let's unpack this: modern PLCs do contain semiconductors for processing, but their power-handling sections still rely on electromagnetic relays rather than solid-state switches like MOSFETs or IGBTs. This design choice isn't about resisting progress - it's about surviving real-world conditions in renewable energy installations.

### The Dirty Secret of Battery Storage Systems

a 500MW solar farm in Arizona where PLCs control battery charge cycles. When temperatures hit 122°F (50°C) last July, the electromechanical components kept functioning while nearby solid-state devices failed catastrophically. According to 2024 field data from Huijue Group's installations:

- Electromagnetic relays show 92% 10-year survival rate
- Solid-state relays average 67% failure rate after 5 years
- Repair costs for power electronics run 3-5x higher

Wait, no - that last point needs clarification. Actually, the cost disparity comes from component replacement complexity, not just part prices. You can't just swap a fried semiconductor module like changing a lightbulb.

### When New Tech Meets Desert Reality

Huijue's 2023 pilot in Morocco's Noor Ouarzazate complex revealed something unexpected. The PLCs using traditional contactors maintained 99.4% uptime during sandstorms, while the "advanced" solid-state units clogged with silica dust. Turns out, moving parts in relays create natural self-cleaning vibrations - a free maintenance feature engineers hadn't even considered!

But here's the kicker: photovoltaic systems aren't getting simpler. With the rise of bidirectional EV charging and virtual power plants, PLCs must handle:

# Why Modern PLCs Avoid Solid-State Components

- Voltage spikes from erratic renewable generation
- Reverse current flow during grid feedback
- Harmonic distortions in aging infrastructure

Solid-state components might seem better suited for these challenges... until you realize their sensitivity to electrical noise. A 2024 IEEE paper showed semiconductor-based PLCs failing 14x faster during lightning-induced surges compared to their electromechanical counterparts.

## The Maintenance Paradox in Wind Energy

Offshore wind farms present another wrinkle. Salt corrosion? No problem for sealed relays. But humidity creeping into solid-state boards? That's a recipe for cascade failures. Siemens Gamesa's latest reports indicate 30% longer service intervals for traditional PLC setups in North Sea installations.

Still, the industry's at a crossroads. As battery voltages climb past 1500V DC, can old-school components keep up? Maybe not forever. But right now, when a single PLC outage can idle 20,000 solar panels, reliability trumps theoretical efficiency gains every time.

## The Cultural Shift in Engineering Priorities

Younger engineers fresh out of college often ask, "Why are we using grandpa's tech?" Good question! The answer lies in energy transition economics. While flashy new components make great conference topics, plant managers care about:

- Mean Time Between Failures (MTBF)
- O&M crew training costs
- Spare parts inventory complexity

Until solid-state technology can match the rugged simplicity of electromechanical systems in PLCs, the renewable sector will keep voting with its purchase orders. After all, what good is a 0.5% efficiency gain if it doubles your service calls?

Web: <https://www.solarsolutions4everyone.co.za>